

Edge Airport France



Table des matières

Edge Airport France

```
<html xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:o="urn:schemas-microsoft-com:office:office"
xmlns:dt="uuid:C2F41010-65B3-11d1-A29F-00AA00C14882"
xmlns="http://www.w3.org/TR/REC-html40">

<head>
<meta http-equiv=Content-Type content="text/html"; charset="UTF-8">
<link rel=File-List href="pax16_fichiers/filelist.xml">
<!--[if !mso]>
<style>
v\:.* {behavior:url(#default#VML);}
o\:.* {behavior:url(#default#VML);}
b\:.* {behavior:url(#default#VML);}
.shape {behavior:url(#default#VML);}
</style>
<![endif]->
<title>Titre de la page</title>
<style>
<!--
/* Définitions de la police */
@font-face
{font-family:Arial;
panose-1:2 11 6 4 2 2 2 2 4;}
@font-face
{font-family:Calibri;
panose-1:2 15 5 2 2 2 4 3 2 4;}
/* Définitions du style */
p.MsoNormal, li.MsoNormal, div.MsoNormal
{margin-right:0pt;
text-indent:0pt;
margin-top:0pt;
margin-bottom:6.0pt;
line-height:119%;
text-align:left;
font-family:Calibri;
font-size:10.0pt;
color:black;}
ol
{margin-top:0in;
margin-bottom:0in;
margin-left:-2197in;}
ul
{margin-top:0in;
margin-bottom:0in;
margin-left:-2197in;}
@page
{size:8.-2019in 11.2232in;}
-->
</style>
```

```
<![if gte mso 9]><xml>
<o:shapedefaults v:ext="edit" spidmax="3074" fillcolor="#5b9bd5 [1]"
strokecolor="black [0]">
<v:fill color="#5b9bd5 [1]" color2="white [7]"/>
<v:stroke color="black [0]" color2="white [7]" weight="2pt">
<o:left v:ext="view" color="black [0]" color2="white [7]"/>
<o:top v:ext="view" color="black [0]" color2="white [7]"/>
<o:right v:ext="view" color="black [0]" color2="white [7]"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
<o:colormru v:ext="edit" colors="#13276e,#7b848d"/>
</o:shapedefaults><o:shapelayout v:ext="edit">
<o:idmap v:ext="edit" data="1"/>
</o:shapelayout></xml><![endif]->
</head>
```

```
<body style='margin:0'>
```

```
<![if gte vml 1]><v:rect id="_x0000_s1025" style='position:absolute;left:0;
top:791.95pt;width:595.27pt;height:56.7pt;z-index:1;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' fillcolor="#13276e" stroked="f"
strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:rect><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=799 height=81 bgcolor="#13276E" style='vertical-align:top;
background:#13276E'><![endif]>
```

```
<p class=MsoNormal> Nous contacter</p>
```

```
<p class=MsoNormal> Pour en savoir plus, contactez-nous au +33 553 801 366 ou par mail à
```

l'adresse suivante contact@edge-airport.com

```
<![if !vml]></td>
</tr>
</table> <![endif]><![if gte vml 1]><v:shapetype id="_x0000_t202" coordsize="21600,21600"
o:spt="202" path="m,l,21600r21600,l21600,xe">
<v:stroke joinstyle="miter"/>
<v:path gradientshapeok="t" o:connecttype="rect"/>
</v:shapetype><v:shape id="_x0000_s1026" type="#_x0000_t202" style='position:absolute;
left:14.17pt;top:670.32pt;width:436.22pt;height:92.12pt;z-index:2;
mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt' filled="f"
fillcolor="#5b9bd5 [1]" stroked="f" strokecolor="black [0]" strokeweight="2pt"
o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]"/>
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=582 height=123 style='vertical-align:top'><![endif]>
```

Marketing

Pax Tracer assure le suivi des passagers tout au long de leur parcours dans l'aéroport et récolte les données sur le temps passé à chaque endroit stratégique de l'aéroport.

Pax Tracer peut, entre autre, vous indiquer le nombre de passagers et le temps passé par chacun en zone duty-free.

```
<![if !vml]></td>
</tr>
</table> <![endif]><![if gte vml 1]><v:rect id="_x0000_s1027" style='position:absolute;
left:467.71pt;top:479.35pt;width:113.39pt;height:85.04pt;z-index:3;
mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt'
```

```

o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]" stroked="f"
strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image318.png" o:title="screenshot8"/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><!--[if gte vml
1]><v:shape
id="_x0000_s1028" type="#_x0000_t202" style='position:absolute;left:386.69pt;
top:413.65pt;width:67.76pt;height:7.85pt;z-index:4;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' filled="f" fillcolor="#5b9bd5 [1]" stroked="f"
strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]"/>
<o:top v:ext="view" color="black [0]" color2="white [7]"/>
<o:right v:ext="view" color="black [0]" color2="white [7]"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=90 height=10 style='vertical-align:top'><![endif]>

<![if !vml]></td>
</tr>
</table> <![endif]><!--[if gte vml 1]><v:shape id="_x0000_s1029" type="#_x0000_t202"
style='position:absolute;left:16.18pt;top:479.73pt;width:435.73pt;height:91.55pt;
z-index:5;mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt' filled="f"
fillcolor="#5b9bd5 [1]" stroked="f" strokecolor="black [0]" strokeweight="2pt"
o:cliptowrap="t">
<v:fill color2="white [7]"/>

```

```

<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=581 height=122 style='vertical-align:top'><![endif]>

```

<p class=MsoNormal>Contrôle d'accès</p>

<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>En accord avec les compagnies aériennes et l'aéroport, Pax Tracer permet à certains clients privilégiés d'accéder à des espaces privés.</p>

<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>Un système par code permet au personnel de l'aéroport d'accéder à certaines zones réservées.</p>

```

<![if !vml]></td>
</tr>

```

```

</table> <![endif]><![if gte vml 1]><v:rect id="_x0000_s1030" style='position:absolute;
left:14.17pt;top:184.25pt;width:113.38pt;height:85.04pt;z-index:6;
mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt'
o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]" stroked="f"
strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image299.png" o:title="image00"/>
<v:shadow color="black [0]"/>

```

```

<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><![if gte vml
1]><v:shape
id="_x0000_s1031" type="#_x0000_t202" style='position:absolute;left:142.1pt;
top:181.14pt;width:437.74pt;height:91.06pt;z-index:7;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' filled="f" fillcolor="#5b9bd5 [1]" stroked="f"
strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=584 height=121 style='vertical-align:top'><![endif]>

```

```

<p class=MsoNormal>Information aux passagers en temps réel</p>
<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>Pax Tracer donne aux
passagers, en temps réel, leur temps d'attente entre deux points de contrôle et la direction à suivre.
</p>
<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>Pax Tracer fournit aux
passagers les informations sur leur vol : heure de décollage prévu, le terminal, la porte
d'embarquement, leur classe, leur siège ainsi que leurs correspondances.</p>

```

```

<![if !vml]></td>
</tr>
</table> <![endif]><![if gte vml 1]><v:shape id="_x0000_s1032" type="#_x0000_t202"
style='position:absolute;left:14.17pt;top:292.32pt;width:477.54pt;height:67.76pt;
z-index:8;mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt' filled="f"
fillcolor="#5b9bd5 [1]" stroked="f" strokecolor="black [0]" strokeweight="2pt"
o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>

```

```

<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=637 height=90 style='vertical-align:top'><![endif]>

```

<p class=MsoNormal>Recherche de passagers</p>
<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>A chaque scan d'une carte d'embarquement, le système enregistre en temps réel la position du passager. Ainsi, à tout moment, le personnel de l'aéroport peut savoir dans quelle zone se trouve un passager. La recherche est ainsi simplifiée et ciblée.</p>

```

<![if !vml]></td>
</tr>
</table> <![endif]><![if gte vml 1]><v:shape id="_x0000_s1033" type="#_x0000_t202"
style='position:absolute;left:142.1pt;top:389.87pt;width:439pt;height:89.48pt;
z-index:9;mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;
mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt' filled="f"
fillcolor="#5b9bd5 [1]" stroked="f" strokecolor="black [0]" strokeweight="2pt"
o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]"/>
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>
</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>
<tr>
<td width=586 height=119 style='vertical-align:top'><![endif]>

```

<p class=MsoNormal>Sécurité</p>

<p class=MsoNormal style='margin-bottom:8.0pt;line-height:107%'>Pax Tracer contrôle la validité et l'unicité des cartes d'embarquement des passagers. Il vérifie les différents points de passage déjà franchis par le passager et les dirige vers le prochain point.</p>

<![if !vml]></td>

</tr>

</table> <![endif]><![if gte vml 1]><v:shape id="_x0000_s1034" type="#_x0000_t202"

style='position:absolute;left:142.1pt;top:581.1pt;width:437.74pt;height:70.95pt;

z-index:10;mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;

mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt' filled="f"

fillcolor="#5b9bd5 [1]" stroked="f" strokecolor="black [0]" strokeweight="2pt"

o:cliptowrap="t">

<v:fill color2="white [7]"/>

<v:stroke color2="white [7]">

<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"

joinstyle="miter"/>

<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"

joinstyle="miter"/>

<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"

joinstyle="miter"/>

<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"

joinstyle="miter"/>

<o:column v:ext="view" color="black [0]" color2="white [7]"/>

</v:stroke>

<v:shadow color="black [0]"/>

<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>

<v:textbox style='mso-column-margin:2mm' inset="2.88pt,2.88pt,2.88pt,2.88pt"/>

</v:shape><![endif]-><![if !vml]> <table cellpadding=0 cellspacing=0>

<tr>

<td width=584 height=94 style='vertical-align:top'><![endif]>

<p class=MsoNormal>Statistiques</p>

<p class=MsoNormal>Toutes les données sont enregistrées en temps réel dans une base de données. De nombreuses statistiques peuvent être extraites du logiciel, comme les flux et temps d'attente, les statistiques horaires, les correspondances...</p>

<![if !vml]></td>

</tr>

</table> <![endif]><![if gte vml 1]><v:rect id="_x0000_s1035" style='position:absolute;

left:467.71pt;top:683.2pt;width:113.39pt;height:68.01pt;z-index:11;

mso-wrap-distance-left:2.88pt;mso-wrap-distance-top:2.88pt;

mso-wrap-distance-right:2.88pt;mso-wrap-distance-bottom:2.88pt'

o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]" stroked="f"

strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">

<v:fill color2="white [7]"/>

<v:stroke color2="white [7]">

```
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image268.emz" o:title=""/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><!--[if gte vml
1]><v:rect
id="_x0000_s1036" style='position:absolute;left:516.24pt;top:283.46pt;width:64.86pt;
height:85.06pt;z-index:12;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]"
stroked="f" strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image310.emz" o:title=""/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><!--[if gte vml
1]><v:rect
id="_x0000_s1037" style='position:absolute;left:14.17pt;top:584.04pt;width:113.38pt;
height:68.01pt;z-index:13;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]"
stroked="f" strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
```

```

joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image333.emz" o:title=""/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><!--[if gte vml
1]><v:rect
id="_x0000_s1038" style='position:absolute;left:14.17pt;top:372.53pt;width:113.38pt;
height:104.56pt;z-index:14;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]"
stroked="f" strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image309.png" o:title="pax1_trans"/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]><!--[if gte vml 1]><v:rect
id="_x0000_s1039" style='position:absolute;left:0;top:0;width:595.27pt;
height:170.18pt;z-index:15;mso-wrap-distance-left:2.88pt;
mso-wrap-distance-top:2.88pt;mso-wrap-distance-right:2.88pt;
mso-wrap-distance-bottom:2.88pt' o:preferrelative="t" filled="f" fillcolor="#5b9bd5 [1]"
stroked="f" strokecolor="black [0]" strokeweight="2pt" o:cliptowrap="t">
<v:fill color2="white [7]"/>
<v:stroke color2="white [7]">
<o:left v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:top v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:right v:ext="view" color="black [0]" color2="white [7]" weight="2pt"

```

```
joinstyle="miter"/>
<o:bottom v:ext="view" color="black [0]" color2="white [7]" weight="2pt"
joinstyle="miter"/>
<o:column v:ext="view" color="black [0]" color2="white [7]"/>
</v:stroke>
<v:imagedata src="pax16_fichiers/image303.png" o:title="enTetePaxTracer"/>
<v:shadow color="black [0]"/>
<o:extrusion v:ext="view" backdepth="0" viewpoint="0,0" viewpointorigin="0,0"/>
<o:lock v:ext="edit" aspectratio="t"/>
</v:rect><![endif]-><![if !vml]><![endif]>

</body>

</html>
```

From:

<https://oldwiki.embross-airport-services.com/> - **Documentation Embross (ex Edge Airport)**

Permanent link:

<https://oldwiki.embross-airport-services.com/doku.php?id=doc:fims&rev=1464766415> 

Last update: **01/06/2016 09:33**

Edge Airport France

Airport Manager Solutions

Phone: +33 553 801 366

Service commercial : contact@edge-airport.com

Support technique : support@edge-airport.com

Edge Airport France SAS au capital de 150 000 €

RCS Bergerac 529 125 346 Les Lèches TVA : FR53529125346 / EORI : FR52912534600039

Tel : +33(0)553 801 366 contact@edge-airport.com www.edge-airport.com